

1. Function Description:

EU - Electrically Unlocked (Fail Secure):

When power is applied the outside trim will unlock. With power removed the outside trim is locked.




EL - Electrically Locked (Fail Safe):

When power is applied the outside trim will lock. With power removed the outside trim is unlocked.


RX - Request to Exit:

A microswitch attached to the chassis is activated when the inside lever is rotated. The switch signals the use of the lever to security systems allowing a non-disruptive means of immediate egress.

2. Electrical Specifications:

Electrified Functions	RX Functions	
EU and EL	RX	EU-RX and EL-RX
<ul style="list-style-type: none"> - 24 Volts AC/DC +/-10% operating current .145 AMP - 12 Volts AC/DC +/-10% operating current .293 AMP <p>* All solenoids are continuous duty type. * White heat shrinkable tubings on solenoid leads designates 12 volt.</p>	<ul style="list-style-type: none"> - Voltage 250 VAC - Current rating: 1 AMP - Wire leads: 22 AWG <p>The 3-wire utilizes a UL recognized SPDT switch providing a choice of: * Normally closed operation use the white (COM.) & gray wires * Normally open operation use the white(COM.) & purple wires</p>	
		
<p>NOTE: Warranty is void if rectifier module is removed.</p>		

3. Wiring Diagram for Electrified Locks:




NOTE: All installations should be in accordance with local electrical codes.

4. Installation Instructions:


A. Door Preparation

- The door must be machined with a 3/8" wire raceway, Cyl. lock pocket & prepped for a wire transfer hinge. **Make sure the pocket is free of debris.**
- Provide a 5/8" dia. hole extending 6" to 8" in depth from back edge of Cyl. lock pocket. This provide room for insertion of rectifier module and wires.
- Provide a 3/8" dia. through hold for electrified functions or provide a 3/4" dia. for RX functions.




B. Install Wire Route

- Run the wires from the wire transfer hinge through the 3/8" raceway starting at the wire transfer hinge & exiting into the Cyl. lock pocket.
- Screw the wire transfer hinge to the door (at this time **DO NOT** connect the hinge wires on the jamb side to the wires coming from the power supply).



C. Install Outside Trim

- Electrified Functions:**
Terminate the two blue wires from lock to the wire transfer hinge device using 22 AWG wire. Use proper crimp splices or wire nuts for terminating connections. (No Polarity of wire is required)
- RX Functions:**
Terminate the three wires from lock to the wire transfer hinge device using 22 AWG wire. Use proper crimp splices or wire nuts for terminating connections.
- Carefully slip the connected Cyl. lock chassis into the pocket paying close attention not to pinch any wires.




D. Follow UP

- Mount the Cyl. lock per manufacturer's instructions.
- Connect the wires from the power supply at the wire transfer hinge on the jamb side. Connect the wire transfer hinge to the jamb.

5. Accessories:

For installation on 1 3/8" doors, two (2) spacers are required.



1 3/8" Lever Door Spacer