


MB2S Grade 2 Cylindrical



MB2S Series ANSI Grade 2 Heavy Duty Lever Locks



FEATURES:

- Through-bolt interlocking chassis to increase torque resistance.
- Threaded outside rose adjustable for door thickness without removing keyed lever.
- Independent return springs in both side hubs provide extra resistance to lever sag.
- Snap-on roses with no exposed mounting screws.
- Internal steel mechanisms are corrosion treated for normal atmospheric conditions.
- Reversible for either hand of door.



SPECIFICATIONS:

Door Thickness - 1-3/8" to 2" wood or metal door installation.

Backset - 2-3/4" Standard; 2-3/8",3-3/4" and 5" optional **Latchbolt** - 1/2" throw deadlatch, UL listed, self-adjusting faceplate.

Handina - Non-handed.

Strike - ANSI strike standard, T strike optional

Trim - Roses are heavy wrought brass, bronze or stainless steel and installed over wrought

steel reinforcing plates. Knobs are brass, bronze or stainless steel secured by steel

knob retainer which cannot be depressed when lock has been locked.

Door Preparation - ANSI A115.2, through bolt installation.

Standard Cylinder - 6-pin standard, two keys per lock, compatible with Schlage® cylinders.

Finishes - 605, 606, 612, 613, 622, 625 and 626.

Certifications - UL listed for "A" label (3 hour) single swinging door (4'x8'). ETL certified for ANSI/BHMA

A156.2, Series 4000 Grade 2.

Warranty - FIVE (5) YEAR manufacturer's limited warranty.

Lever Handles




Cylinders




Latches



Strikes



Extension Links





How To Order	Model Series	Backset	Function Code	Lever Handle	Finish	Strike	Options
	MB2S	3	01	#14	626	S1	
	MB2S	2 - 2-3/8" 3 - 2-3/4"	See Function Chart	#14 #15 #16	605 606 612 613 622 625 626	52 - T Strike	AL - Abrasive Lever LL - Lead Lined ROE - Request to Exit NOTE: Specify Inside (I), Outside (O), or Both (B) for AL option

If not specified at time of order, the default will be 2 3/4" backset, 15 Lever, 626 Finish, S1 Strike.

Intertek The following items are purchased separately:

\$1-7/8-finish 7/8" flat lip strike (605, 606, 612, 613, 622, 630)

MB2-L4-3-3/4 Extension link for 3-3/4" backset latch
MB2-L5-5 Extension link for 5" backset latch



MB2S Series Lever Locks

FUNCTIONS MB2S Series Lever Locks								
Tonchons		Description	Outside Lever		Inside Lever			
		Latch operated by	Locked by	Unlocked by	Locked by	Unlocked by		
	Single Keyed Fu	ınctions						
AB F109	01 - Entrance	Rotating the inside lever, OR Rotating the outside lever-only when the inside push button is out, OR Turning the key in the outside lever	Pushing the inside button, OR Pushing and turning the inside button. Turning the button keeps the outside lever locked until the button is turned back.	Turning the key in the outside lever, (only when the button is not turned) OR Rotating the inside lever, (only when the button is not turned), OR Closing the door (only when the button is not turned) Turned).	Cannot be locked	Always unlocked		
R F84	03 - Classroom	Rotating the inside lever, OR Turning the key in the outside lever OR Rotating the outside lever when not locked by key	Turning the key in the outside lever	Turning the key in the outside lever	Cannot be locked	Always unlocked		
D F86	05 - Storeroom	Turning the key in the outside lever, OR Rotating the inside lever	Always locked	Cannot be unlocked	Cannot be locked	Always unlocked		
T F90	T - Dormitory	Rotating the inside lever, OR Rotating the outside lever when not locked by key or push button	Turning the key in the outside lever, OR Pushing the button on the inside lever	Turning the key in the outside lever, OR Rotating the inside lever (only when locked by push button), OR Closing the door (only when locked by push button) The locked by push button)	Cannot be locked	Always unlocked		
	Double Keyed*	Functions						
G F91	02 - Storeroom*	Rotating the outside lever, when not locked by key, OR Rotating the inside lever when not locked by key	Turning the key in the inside lever, OR Turning the key in the outside lever	Turning the key in the inside lever, OR Turning the key in the outside lever	Turning the key in the inside lever, OR Turning the key in the outside lever	Turning the key in the inside lever, OR Turning the key in the outside lever		
04 S F80	- Communicating*	Turning the key in the inside lever, OR Turning the key in the outside lever, OR Rotating the inside or outside lever (if unlocked)	Turning the key in the outside lever	Turning the key in the outside lever	Turning the key in the inside lever	Turning the key in the inside lever		
		TURNING THE KEY IN EITHER LEVER, LOCKS OR UNLOCKS ITS OWN LEVER INDEPENDENTLY.						
C F88	06 - Corridor	Rotating the inside lever, OR Rotating the outside lever when not locked by key, OR Turning the key in the outside lever	Turning the key in the inside lever	Turning the key in the inside lever	Cannot be locked	Always unlocked		
W F87	9 - Institutional*	Turning the key in the inside lever OR Turning the key in the outside lever	Always locked	Cannot be unlocked	Always locked	Cannot be unlocked		

^{*}Attention: Locksets that secure both sides of the door are controlled by building codes and the Life Safety Codes. In an emergency situation, failure to quickly unlock the inside lever could be hazardous or even fatal.



MB2S Series Lever Locks

F	FUNCTIONS MB2S Series Lever Locks							
10140110143		Description	Outside Lever		Inside Lever			
		Latch operated by	Locked by	Unlocked by	Locked by	Unlocked by		
		Functions (Contin	nued)					
IN	IN - Intruder	Rotating inside lever, OR Rotating outside lever only when not locked by inside or outside key	Turning key in the inside lever, OR Turning the key in the outside lever	Turning key in the inside lever OR Turning the key in the outside lever	Cannot be locked	Always unlocked		
	Keyless Functio	ns						
P F77	10 - Patio	Rotating the inside lever, OR Rotating the outside lever only when the inside push button is out	Pushing the inside button	Rotating the inside lever, OR Closing the door	Cannot be locked	Always unlocked		
L F76	20 - Privacy	Rotating the inside lever OR Rotating the outside lever only when the inside push button is out	Pushing the inside button	Rotating the outside slotted button, OR Rotating the inside lever, OR Closing the door	Cannot be locked	Always unlocked		
N F75	30 - Passage	Rotating the inside lever OR Rotating the outside lever	Cannot be locked	Always unlocked	Cannot be locked	Always unlocked		
40 -	40 - Single Dummy Trim This is a single, surface-mounted lever for an inactive door or a non-latching door.							
1 DT								
	50 - Exit	Rotating the inside lever	Always locked	Always locked	Cannot be locked	Always unlocked		
NX F89								
	60 - Exit	Rotating the inside lever			Cannot be locked	Always unlocked		
Υ	Ď							

^{*}Attention: Locksets that secure both sides of the door are controlled by building codes and the Life Safety Codes. In an emergency situation, failure to quickly unlock the inside lever could be hazardous or even fatal.



MB2S Series Lever Locks

FUNCTIONS						
	Description	on Outside Lever		Inside Lever		
	Latch operated by	Locked by	Unlocked by	Locked by	Unlocked by	
Special Functions						
15 - Service Station	Rotating the inside lever, OR Rotating the outside lever - only when the inside push button is out, OR Turning the key in the outside lever	Pushing the inside button, OR Pushing and turning the inside button. Turning the button keeps the outside lever locked until the button is turned back.	Turning the key in the outside lever, Rotating the inside lever, Closing the door-only when the button is not turned, Turning back the slotted button	Cannot be locked	Always unlocked	
21 - Hospital Privacy	Rotating the inside lever, OR Rotating the outside lever only when inside push button is out	Pushing the inside button	Turning the turn button in the outside lever, OR Rotating the inside lever, OR Closing the door.	Cannot be locked	Always unlocked	
63 - Exit*	Turning the key in the inside lever, OR rotating the inside lever when not locked by key			Turning the key in the inside lever	Turning the key in the inside lever	

Out of an abundance of caution, MBS has elected to place the Proposition 65 warning on all products shipped to California.



WARNING: These products can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

"Attention: Locksets that secure both sides of the door are controlled by building codes and the Life Safety Codes. In an emergency situation, failure to quickly unlock the inside lever could be hazardous or even fatal.