

Pro-Lok

Soft comfortable handle allows for easy use. Heavy duty Top Jaw allows for easier and tighter key clamping. Slide the Code Bar to easily change the punching depth. Automatic spacing allows for continuous key punching. Decodes cut depths for rekeying and code cutting to factory specifications and tolerances. Machines cut both Standard and Premium keys. The BP201 Key Machine is available in a variety of different keyways, while each machine is keyway specific. No Electricity Needed! Made in U.S.A.

Basic machines:

BP-201-IC-A2

BP-201-IC-A3


BP-201-IC-A4

For WD and other reverse keyway keys:

BP-201-MP-A2

BP-201-MP-A3

BP-201-MP-A4



Capping Block for I/C Core

.150 and Punch

Ideal for capping cores.

606



Core and Key

Marking Plate

Stamp keys and I/C Cores with stamping fixture.

DD514



Core Stamping Plate

SP20



Core Capping/Decapping Press (Heavy duty)

In one smooth operation, this press seals all barrels of either a 6 or 7 pin combined core. The cap seating depth is adjustable. This very rugged tool bolts to the bench and lasts indefinitely.

To order specify: CD517 core capping press



Ejector Pin for I/C Core

Originally designed for use with Decoding Block, this single ejector punch is suitable for most any I/Core.

610



White Teflon Lubricant

Micronized polytetrafluoroethylene (PTFE) Powder. A dry white powder lubricant that will not "cake-up" as graphite does. A superior friction-fighting agent. MBS recommended. S-17001



1/3 oz. Graphite Gun

Flaked graphite provides penetrating lubrication to all working lock parts and remains dry throughout lock life. Degrease and clean previously lubricated locksets before applying graphite.

HGG



Order by Part Number and Description

Marshall Best Security Corporation

www.marshallbestsecurity.com

Service Equipment



Key Combining Kit:

A2 System: BIC-108-A2

A3 or A4 System: BIC-108-A3-A4

Pin Segments:

Combining Pins: A2

Top Pins: 2T-19T

Bottom Pins: 0B-9B

Combining Pins: A3

Top Pins: 1T – 13T

Bottom Pins: 0B-6B

Combining Pins: A4

Top Pins: 1T – 11T

Bottom Pins: 0B – 5B

*Spool Pins and Nickel Silver Pins are available.

Plastic Drill Jig:

Used to properly drill two through-bolt holes for Grade 1 and 2 Cylindrical locksets.
MBS-LF51



Springs:

108

Falcon Springs:

108-R

Caps:

CAPS

Plastic Core Turn knob:

309



Housing Wrench:

609



Order by Part Number and Description

Marshall Best Security Corporation

www.marshallbestsecurity.com

Service Equipment



Mortise Cylinder Cam Kit

MBS-KIT-PART-01



Small and Large Housing Cam Kit

MBS-KIT-PART-02



Rim Cylinder Parts Kit

MBS-KIT-PART-03



Cylinder Collar Kit

MBS-KIT-PART-04



YS Mortise Cylinder Cam Kit

MBS-KIT-PART-YS-626



Mortise Cylinder Cam Assembly Tool

Essential tool for quickly attaching cams to MBS mortise cylinders. Works equally well with adaptation cams, permitting relocking of any Masterkeyed mortise lockset through use of MBS replacement cylinders. Approximate length 1 ¾". ED212

Key Decoder for I/C Core

Quickly decode keys for three systems: A2, A3, and A4, with one handy tool. 611



Order by Part Number and Description

Marshall Best Security Corporation

www.marshallbestsecurity.com



Service Equipment

.108" Diameter IC Pin Conversion/Part Number Chart

A-2 system

Bottom Pins

	Length	MBS Part #	Best Equivalent
0B	.11	0-110	0A
1B	.1225	1-122	1A
2B	.135	2-135	2A
3B	.1475	3-147	3A
4B	.16	4-160	4A
5B	.1725	5-172	5A
6B	.185	6-185	6A
7B	.1975	7-197	7A
8B	.21	8-210	8A
9B	.2225	9-222	9A

Top Pins

	Length	MBS Part #	Best Equivalent
2T	.025	2-025	2B
3T	.0375	3-0375	3B
4T	.05	4-050	4B
5T	.0625	5-062	5B
6T	.075	6-075	6B
7T	.0875	7-087	7B
8T	.1	8-100	8B
9T	.1125	9-112	9B
10T	.125	10-125	10B
11T	.1375	11-137	11B
12T	.15	12-150	12B
13T	.1625	13-162	13B
14T	.175	14-175	14B
15T	.1875	15-187	15B
16T	.2	16-200	16B
17T	.2125	17-212	17B
18T	.225	18-225	18B
19T	.2375	19-237	19B

A-3 system

Bottom Pins

	Length	MBS Part #	Best Equivalent
0B	.110	0-110-A3	0C
1B	.128	1-128-A3	1C
2B	.146	2-146-A3	2C
3B	.164	3-164-A3	3C
4B	.182	4-182-A3	4C
5B	.200	5-200-A3	5C
6B	.218	6-218-A3	6C

Top Pins

	Length	MBS Part #	Best Equivalent
1T	.018	1-018-A3	1D
2T	.036	2-036-A3	2D
3T	.054	3-054-A3	3D
4T	.072	4-072-A3	4D
5T	.090	5-090-A3	5D
6T	.108	6-108-A3	6D
7T	.126	7-126-A3	7D
8T	.144	8-144-A3	8D
9T	.162	9-162-A3	9D
10T	.180	10-180-A3	10
11T	.198	11-198-A3	D11
12T	.216	12-216-A3	D12
13T	.234	13-234-A3	D13

A-4 system

Bottom Pins

	Length	MBS Part #	Best Equivalent
0B	.110	0-110-A4	0E
1B	.131	1-131-A4	1E
2B	.152	2-152-A4	2E
3B	.173	3-173-A4	3E
4B	.194	4-194-A4	4E
5B	.215	5-215-A4	5E

Top Pins

	Length	MBS Part #	Best Equivalent
1T	.021	1-021-A4	1F
2T	.042	2-042-A4	2F
3T	.063	3-063-A4	3F
4T	.084	4-084-A4	4F
5T	.105	5-105-A4	5F
6T	.126	6-126-A4	6F
7T	.147	7-147-A4	7F
8T	.168	8-168-A4	8F
9T	.189	9-189-A4	9F
10T	.210	10-210-A4	10F
11T	.231	11-231-A4	11F

Order by Part Number and Description

Marshall Best Security Corporation

www.marshallbestsecurity.com